





ROULEMENTS ET BUTEES A BILLES




F Roulements à une rangée de billes


60, 60..-C, 62, 62..-C, 63, 64, 618, 619, 160



60..-2RSR, 60..-C-2HRS, 62..-2RSR, 62..-C-2HRS, 63..-2RSR, S60..-2RSR, S62..-2RSR, 622..-2RSR, 623..-2RSR, 630..-2RSR, 618..-2RSR, 619..-2RSR



60..-2Z, 60..-C-2Z, 62..-2Z, 62..-C-2Z, 63..-2Z, 618..-2Z, 619..-2Z



			d mm	D mm	B mm	
607			7	19	6	
607-2Z			7	19	6	
607-2RS			7	19	6	
608			8	22	7	
608-2Z			8	22	7	
608-2RS			8	22	7	
609			9	24	7	
623			3	10	4	
623-2Z			3	10	4	
624			4	13	5	
624-2Z			4	13	5	
625			5	16	5	
625-2Z			5	16	5	
625-2RSR			5	16	5	
626			6	19	6	
626-2Z			6	19	6	
626-2RS			6	19	6	
627			7	22	7	
627-2Z			7	22	7	
627-2RS			7	22	7	

**F Roulements à une rangée
de billes**

			d mm	D mm	B mm	
629			9	26	8	
629-2Z			9	26	8	
629-2RSR			9	26	8	
634			4	16	5	
634-2Z			4	16	5	
635			5	19	6	
635-2Z			5	19	6	
6000-C			10	26	8	
6000-C-2Z			10	26	8	
6000-C-2HRS			10	26	8	
6001-C			12	28	8	
6001-C-2Z			12	28	8	
6001-C-2HRS			12	28	8	
6002-C			15	32	9	
6002-C-2Z			15	32	9	
6002-C-2HRS			15	32	9	
6004-C			20	42	12	
6004-C-2Z			20	42	12	
6004-C-2HRS			20	42	12	
6003			17	35	10	
6003-2Z			17	35	10	
6003-2RSR			17	35	10	
6005			25	47	12	
6005-2Z			25	47	12	
6005-2RSR			25	47	12	
6006			30	55	13	
6006-2Z			30	55	13	
6006-2RSR			30	55	13	
6007			35	62	14	
6007-2Z			35	62	14	
6007-2RSR			35	62	14	
6008			40	68	15	
6008-2Z			40	68	15	
6008-2RSR			40	68	15	
6009			45	75	16	
6009-2Z			45	75	16	
6009-2RSR			45	75	16	
6010			50	80	16	
6010-2Z			50	80	16	
6010-2RSR			50	80	16	
6011			55	90	18	
6011-2Z			55	90	18	
6011-2RSR			55	90	18	
6012			60	95	18	
6012-2Z			60	95	18	
6012-2RSR			60	95	18	
6013			65	100	18	
6013-2Z			65	100	18	
6013-2RSR			65	100	18	
6014			70	110	20	

F

**Roulements à une rangée
de billes**

			d mm	D mm	B mm	
6014-2Z			70	110	20	
6014-2RSR			70	110	20	
6015			75	115	20	
6015-2Z			75	115	20	
6015-2RSR			75	115	20	
6016			80	125	22	
6016-2Z			80	125	22	
6016-2RSR			80	125	22	
6017			85	130	22	
6017-2Z			85	130	22	
6017-2RSR			85	130	22	
6018			90	140	24	
6018-2Z			90	140	24	
6018-2RSR			90	140	24	
6019			95	145	24	
6020			100	150	24	
6020-2Z			100	150	24	
6020-2RSR			100	150	24	
6021			105	160	26	
6021-2Z			105	160	26	
6022			110	170	28	
6022-2Z			110	170	28	
6024			120	180	28	
6024-2Z			120	180	28	
6024-2RSR			120	180	28	
6026			130	200	33	
6028			140	210	33	
6030			150	225	35	
6032-M			160	240	38	
6036-M			180	280	46	
6038-M			190	290	46	
6040-M			200	310	51	
6044-M			220	340	56	
6200-C			10	30	9	
6200-C-2Z			10	30	9	
6200-C-2HRS			10	30	9	
6201-C			12	32	10	
6201-C-2Z			12	32	10	
6201-C-2HRS			12	32	10	
6202-C			15	35	11	
6202-C-2Z			15	35	11	
6202-C-2HRS			15	35	11	
6203-C			17	40	12	
6203-C-2Z			17	40	12	
6203-C-2HRS			17	40	12	
6204-C			20	47	14	
6204-C-2Z			20	47	14	
6204-C-2HRS			20	47	14	
6205-C			25	52	15	
6205-C-2Z			25	52	15	
6205-C-2HRS			25	52	15	

**F Roulements à une rangée
de billes**

			d mm	D mm	B mm	
6206			30	62	16	
6206-2Z			30	62	16	
6206-2RSR			30	62	16	
6207			35	72	17	
6207-2Z			35	72	17	
6207-2RSR			35	72	17	
6208			40	80	18	
6208-2Z			40	80	18	
6208-2RSR			40	80	18	
6209			45	85	19	
6209-2Z			45	85	19	
6209-2RSR			45	85	19	
6210			50	90	20	
6210-2Z			50	90	20	
6210-2RSR			50	90	20	
6211			55	100	21	
6211-2Z			55	100	21	
6211-2RSR			55	100	21	
6212			60	110	22	
6212-2Z			60	110	22	
6212-2RSR			60	110	22	
6213			65	120	23	
6213-2Z			65	120	23	
6213-2RSR			65	120	23	
6214			70	125	24	
6214-2Z			70	125	24	
6214-2RSR			70	125	24	
6215			75	130	25	
6215-2Z			75	130	25	
6215-2RSR			75	130	25	
6216			80	140	26	
6216-2Z			80	140	26	
6216-2RSR			80	140	26	
6217			85	150	28	
6217-2Z			85	150	28	
6217-2RSR			85	150	28	
6218			90	160	30	
6218-2Z			90	160	30	
6218-2RSR			90	160	30	
6219			95	170	32	
6220			100	180	34	
6220-2Z			100	180	34	
6220-2RSR			100	180	34	
6222			110	200	38	
6224			120	215	40	
6226			130	230	40	
6228			140	250	42	
6301			12	37	12	
6301-2Z			12	37	12	
6301-2RSR			12	37	12	
6302			15	42	13	

F

**Roulements à une rangée
de billes**

			d mm	D mm	B mm	
6302-2Z			15	42	13	
6302-2RSR			15	42	13	
6303			17	47	14	
6303-2Z			17	47	14	
6303-2RSR			17	47	14	
6304			20	52	15	
6304-2Z			20	52	15	
6304-2RSR			20	52	15	
6305			25	62	17	
6305-2Z			25	62	17	
6305-2RSR			25	62	17	
6306			30	72	19	
6306-2Z			30	72	19	
6306-2RSR			30	72	19	
6307			35	80	21	
6307-2Z			35	80	21	
6307-2RSR			35	80	21	
6308			40	90	23	
6308-2Z			40	90	23	
6308-2RSR			40	90	23	
6309			45	100	25	
6309-2Z			45	100	25	
6309-2RSR			45	100	25	
6310			50	110	27	
6310-2Z			50	110	27	
6310-2RSR			50	110	27	
6311			55	120	29	
6311-2Z			55	120	29	
6311-2RSR			55	120	29	
6312			60	130	31	
6312-2Z			60	130	31	
6312-2RSR			60	130	31	
6313			65	140	33	
6313-2Z			65	140	33	
6313-2RSR			65	140	33	
6314			70	150	35	
6314-2Z			70	150	35	
6314-2RSR			70	150	35	
6315			75	160	37	
6315-2Z			75	160	37	
6315-2RSR			75	160	37	
6316			80	170	39	
6316-2Z			80	170	39	
6316-2RSR			80	170	39	
6317			85	180	41	
6317-2Z			85	180	41	
6317-2RSR			85	180	41	
6318			90	190	43	
6319			95	200	45	
6320			100	215	47	
6322			110	240	50	

**F Roulements à une rangée
de billes**

			d mm	D mm	B mm	
6324			120	260	55	
6405			25	80	21	
6406			30	90	23	
6407			35	100	25	
6408			40	110	27	
6409			45	120	29	
6410			50	130	31	
6411			55	140	33	
6412			60	150	35	
16002-A			15	32	8	
16002-A-2Z			15	32	8	
16003-A			17	35	8	
16003-A-2Z			17	35	8	
16004-A			20	42	8	
16004-A-2Z			20	42	8	
16005-A			25	47	8	
16005-A-2Z			25	47	8	
16006-A			30	55	9	
16006-A-2Z			30	55	9	
16007-A			35	62	9	
16008-A			40	68	9	
16009-A			45	75	10	
16010-A			50	80	10	
16011-A			55	90	11	
16012			60	95	11	
16013			65	100	11	
16014			70	110	13	
16015			75	115	13	
16016			80	125	14	
16017			85	130	14	
16018			90	140	16	
16020			100	150	16	
16022			110	170	19	
16024			120	180	19	
61800			10	19	5	
61800-2Z			10	19	5	
61800-2RSR			10	19	5	
61801			12	21	5	
61801-2Z			12	21	5	
61801-2RSR			12	21	5	
61802			15	24	5	
61802-2Z			15	24	5	
61802-2RSR			15	24	5	
61803			17	26	5	
61803-2Z			17	26	5	
61803-2RSR			17	26	5	
61804			20	32	7	
61804-2Z			20	32	7	
61804-2RSR			20	32	7	
61805			25	37	7	

F

**Roulements à une rangée
de billes**

			d mm	D mm	B mm	
61805-2Z			25	37	7	
61805-2RSR			25	37	7	
61806			30	42	7	
61806-2Z			30	42	7	
61806-2RSR			30	42	7	
61807			35	47	7	
61807-2Z			35	47	7	
61807-2RSR			35	47	7	
61808			40	52	7	
61808-2Z			40	52	7	
61808-2RSR			40	52	7	
61809-Y			45	58	7	
61809-2Z-Y			45	58	7	
61809-2RS-Y			45	58	7	
61810-Y			50	65	7	
61810-2Z-Y			50	65	7	
61810-2RS-Y			50	65	7	
61811-Y			55	72	9	
61811-2Z-Y			55	72	9	
61811-2RSR-Y			55	72	9	
61812-Y			60	78	10	
61812-2Z-Y			60	78	10	
61812-2RSR-Y			60	78	10	
61813-Y			65	85	10	
61813-2Z-Y			65	85	10	
61813-2RS-Y			65	85	10	
61814-Y			70	90	10	
61814-2Z-Y			70	90	10	
61814-2RS-Y			70	90	10	
61815-2RS-Y			75	95	10	
61816-Y			80	100	10	
61817-2RS-Y			85	110	13	
61816-2RSR-Y			80	100	10	
61818-Y			90	115	13	
61818-2RS-Y			90	115	13	
61819-2RSR-Y			95	120	13	
61820-Y			100	125	13	
61820-2RS-Y			100	125	13	
61821-2RS-Y			105	130	13	
61822-Y			110	140	16	
61822-2RS-Y			110	140	16	
61824-Y			120	150	16	
61824-2RS-Y			120	150	16	
61826			130	165	18	
61826-2RS			130	165	18	
61828			140	175	18	
61828-2RS			140	175	18	
61830			150	190	20	
61832			160	200	20	
61834			170	215	22	
61836			180	225	22	

F Roulements à une rangée de billes

			d mm	D mm	B mm	
61838			190	240	24	
61844			220	270	24	
61844-M			220	26	24	
61848			240	300	28	
61848-M			240	300	28	
61852			260	320	28	
61900			10	22	6	
61900-2Z			10	22	6	
61900-2RSR			10	22	6	
61901-2Z			12	24	6	
61901-2RSR			12	24	6	
61902			15	28	7	
61902-2Z			15	28	7	
61902-2RSR			15	28	7	
61903			17	30	7	
61903-2Z			17	30	7	
61903-2RSR			17	30	7	
61904			20	37	9	
61904-2Z			20	37	9	
61904-2RSR			20	37	9	
61905			25	42	9	
61905-2Z			25	42	9	
61905-2RSR			25	42	9	
61906-2Z			30	47	9	
61906-2RSR			30	47	9	
61907			35	55	10	
61907-2RSR			35	55	10	
61908			40	62	12	
61908-2Z			40	62	12	
61908-2RS			40	62	12	
61909			45	68	12	
61909-2Z			45	68	12	
61909-2RS			45	68	12	
61910			50	72	12	
61910 2RS			50	72	12	
61911			55	80	13	
61911-2RSR			55	80	13	
61912			60	85	13	
61912-2RS			60	85	13	
61913			65	90	13	
61914			70	100	16	
62200-A-2RSR			10	30	14	
62201-A-2RSR			12	32	14	
62202-A-2RSR			15	35	14	
62203-A-2RSR			17	40	16	
62204-A-2RSR			20	47	18	
62205-A-2RSR			25	52	18	
62206-A-2RSR			30	62	20	
62207-2RSR			35	72	23	
62208-2RSR			40	80	23	


F

**Roulements à une rangée
de billes**

			d mm	D mm	B mm	
62209-2RSR			45	85	23	
62210-2RSR			50	90	23	
62211-2RSR			55	100	25	
62212-2RSR			60	110	28	
62302-A-2RSR			15	42	17	
62303-A-2RSR			17	47	19	
62304-A-2RSR			20	52	21	
62305-A-2RSR			25	62	24	
62306-2RSR			30	72	27	
62308-2RSR			40	90	33	
62310-2RSR			50	110	40	
630/8-2RSR			8	22	11	
63000-A-2RSR			10	26	12	
63001-A-2RSR			12	28	12	
63002-A-2RSR			15	32	13	
63003-A-2RSR			17	35	14	
63004-A-2RSR			20	42	16	
63005-A-2RSR			25	47	16	
63006-A-2RSR			30	55	19	
63007-A-2RSR			35	62	20	
63008-2RSR			40	68	21	
S6000-2RSR			10	26	8	
S6001-2RSR			12	28	8	
S6002-2RSR			15	32	9	
S6003-2RSR			17	35	10	
S6004-2RSR			20	42	12	
S6005-2RSR			25	47	12	
S6006-2RSR			30	55	13	
S6007-2RSR			35	62	14	
S6008-2RSR			40	68	15	
S6009-2RSR			45	75	16	
S6010-2RSR			50	80	16	
S6200-2RSR			10	30	9	
S6201-2RSR			12	32	10	
S6202-2RSR			15	35	11	
S6203-2RSR			17	40	12	
S6204-2RSR			20	47	14	
S6205-2RSR			25	52	15	
S6206-2RSR			30	62	16	
S6207-2RSR			35	72	17	
S6208-2RSR			40	80	18	

42...-B, 43...-B


F Roulements à billes,
à deux rangées



FAG			d mm	D mm	B mm	
4200-BB-TVH			10	30	14	
4201-BB-TVH		0,057	12	32	14	
4202-BB-TVH			15	35	14	
4203-BB-TVH			17	40	16	
4204-BB-TVH			20	47	18	
4205-BB-TVH			25	52	18	
4206-BB-TVH			30	62	20	
4207-BB-TVH			35	72	23	
4208-BB-TVH			40	80	23	
4209-BB-TVH			45	85	23	
4210-BB-TVH			50	90	23	
4211-B-TVH			55	100	25	
4212-B-TVH			60	110	28	
4302-BB-TVH			15	42	17	
4303-BB-TVH			17	47	19	
4304-BB-TVH			20	52	21	
4305-BB-TVH			25	62	24	
4306-BB-TVH			30	72	27	
4307-BB-TVH			35	80	31	
4308-BB-TVH			40	90	33	

511, 512, 513

F Butées à billes, à simple effet




			d mm	D mm	T mm	
51100			10	24	9	
51101			12	26	9	
51102			15	28	9	
51103			17	30	9	
51104			20	35	10	
51105			25	42	11	
51106			30	47	11	
51107			35	52	12	
51108			40	60	13	
51109			45	65	14	
51110			50	70	14	
51111			55	78	16	
51112			60	85	17	
51113			65	90	18	
51114			70	95	18	
51115			75	100	19	
51116			80	105	19	
51117			85	110	19	
51118			90	120	22	
51120			100	135	25	
51122			110	145	25	
51124			120	155	25	
51126			130	170	30	
51128			140	180	31	
51130-MP			150	190	31	
51132-MP			160	200	31	
51134-MP			170	215	34	
51200			10	26	11	
51201			12	28	11	
51202			15	32	12	
51203			17	35	12	
51204			20	40	14	
51205			25	47	15	
51206			30	52	16	
51207			35	62	18	
51208			40	68	19	
51209			45	73	20	

F Butées à billes, à simple effet

			d mm	D mm	T mm	
51210			50	78	22	
51211			55	90	25	
51212			60	95	26	
51213			65	100	27	
51214			70	105	27	
51215			75	110	27	
51216			80	115	28	
51217			85	125	31	
51218			90	135	35	
51220			100	150	38	
51222			110	160	38	
51224			120	170	39	
51226			130	190	45	
51228			140	200	46	
51305			25	52	18	
51306			30	60	21	
51307			35	68	24	
51308			40	78	26	
51309			45	85	28	
51310			50	95	31	
51311			55	105	35	
51312			60	110	35	
51314			70	125	40	
51316			80	140	44	

72...-B, 73...-B

**F Roulements à une rangée
de billes à contact oblique**




				d mm	D mm	B mm	
7200-B-TVP				10	30	9	
7201-B-TVP				12	32	10	
7202-B-TVP				15	35	11	
7203-B-TVP				17	40	12	
7204-B-TVP				20	47	14	
7205-B-TVP				25	52	15	
7206-B-TVP				30	62	16	
7207-B-TVP				35	72	17	
7208-B-TVP				40	80	18	
7209-B-TVP				45	85	19	
7210-B-TVP				50	90	20	
7211-B-TVP				55	100	21	
7212-B-TVP				60	110	22	
7213-B-TVP				65	120	23	
7214-B-TVP				70	125	24	
7215-B-TVP				75	130	25	
7216-B-TVP				80	140	26	
7217-B-TVP				85	150	28	
7218-B-TVP				90	160	30	
7219-B-TVP				95	170	32	
7220-B-TVP				100	180	34	
7302-B-TVP				15	42	13	
7303-B-TVP				17	47	14	
7304-B-TVP				20	52	15	
7305-B-TVP				25	62	17	
7306-B-TVP				30	72	19	
7307-B-TVP				35	80	21	
7308-B-TVP				40	90	23	
7309-B-TVP				45	100	25	
7310-B-TVP				50	110	27	
7311-B-TVP				55	120	29	
7312-B-TVP				60	130	31	
7313-B-TVP				65	140	33	
7314-B-TVP				70	150	35	
7315-B-TVP				75	160	37	

**F Roulements à une rangée
de billes à contact oblique**


			d mm	D mm	B mm	
7316-B-TVP			80	170	39	
7317-B-TVP			85	180	41	
7318-B-TVP			90	190	43	
7319-B-TVP			95	200	45	
7320-B-TVP			100	215	47	

(F) Roulements à deux rangées de billes à contact oblique


32, 33




32...-B, 33...-B



32...-B-2Z



32...-B-2RSR, 33...-B-2RSR




			d mm	D mm	B mm	
3200-BB-TVH			10	30	14	
3200-BB-2Z-TVH			10	30	14	
3201-BB-TVH			12	32	15,9	
3201-BB-2Z-TVH			12	32	15,9	
3201-BB-2RSR-TVH			12	32	15,9	
3202-B-TVH			15	35	15,9	
3202-B-2Z-TVH			15	35	15,9	
3202-B-2RS-TVH			15	35	15,9	
3203-B-TVH			17	40	17,5	
3203-B-2Z-TVH			17	40	17,5	
3203-B-2RS-TVH			17	40	17,5	
3204-B-TVH			20	47	20,6	
3204-B-2Z-TVH			20	47	20,6	
3204-B-2RS-TVH			20	47	20,6	
3205-B-TVH			25	52	20,6	
3205-B-2Z-TVH			25	52	20,6	
3205-B-2RS-TVH			25	52	20,6	
3206-B-TNH			30	62	23,8	
3206-B-2Z-TNH			30	62	23,8	
3206-B-2RS-TNH			30	62	23,8	
3207-B-TNH			35	72	27	
3207-B-2Z-TNH			35	72	27	
3207-B-2RS-TNH			35	72	27	
3208-B-TNH			40	80	30,2	

			d mm	D mm	B mm	 min
3208-B-2Z-TNH			40	80	30,2	
3208-B-2RS-TNH			40	80	30,2	
3209-B-TVH			45	85	30,2	
3209-B-2Z-TVH			45	85	30,2	
3209-B-2RS-TVH			45	85	30,2	
3210-B-TNH			50	90	30,2	
3210-B-2Z-TNH			50	90	30,2	
3210-B-2RS-TNH			50	90	30,2	
3211-B-TNH			55	100	33,3	
3211-B-2RS-TNH			55	100	33,3	
3212-B-TNH			60	110	36,5	
3212-B-2RS-TNH			60	110	36,5	
3213-B-TNH			65	120	38,1	
3214-B-TVH			70	125	39,7	
3215-B-TVH			75	130	41,3	
3216-B-TVH			80	140	44,4	
3217			85	150	49,2	
3218			90	160	52,4	
3219-M			95	170	55,6	
3220			100	180	60,3	
3302-B-TNH			15	42	19	
3303-B-TNH			17	47	22,2	
3304-B-TNH			20	52	22,2	
3304-B-2RS-TNH			20	52	22,2	
3305-B-TNH			25	62	25,4	
3305-B-2RS-TNH			25	62	25,4	
3306-B-TNH			30	72	30,2	
3306-B-2RS-TNH			30	72	30,2	
3307-B-TVH			35	80	34,9	
3307-B-2RS-TVH			35	80	34,9	
3308-B-TNH			40	90	36,5	
3308-B-2RS-TNH			40	90	36,5	
3309-B-TNH			45	100	39,7	
3309-B-2RS-TNH			45	100	39,7	
3310-B-TNH			50	110	44,4	
3311-B-TVH			55	120	49,2	
3312-B-TVH			60	130	54	
3313-B-TVH			65	140	58,7	
3314			70	150	63,5	
3315			75	160	68,3	
3316			80	170	68,3	
3317-M			85	180	73	
3318-M			90	190	73	

QJ2


F Roulements à 4 points
de contact, dissociables




			d mm	D mm	B mm	
QJ205-MPA			25	52	15	
QJ206-MPA			30	62	16	
QJ207-MPA			35	72	17	
QJ208-MPA			66,85	80	18	
QJ208-TVP			40	80	18	
QJ209-MPA			72,051	85	19	
QJ210-MPA			50	90	20	
QJ211-TVP			55	100	21	
QJ212-MPA			93,046	110	22	
QJ212-TVP			60	110	22	
QJ213-MPA			65	120	23	
QJ214-MPA			70	125	24	
QJ214-TVP			70	125	24	
QJ215-MPA			111,5	130	25	
QJ215-TVP			75	130	25	
QJ216-MPA			80	140	26	

F Roulements à rotule sur billes


12, 13, 22, 23




12..-K, 13..-K, 22..K, 23..-K



22..K-2RS



22..-2RS, 23..-2RS



			d mm	D mm	B mm	
126-TVH			6	19	6	
127-TVH			7	22	7	
129-TVH			9	26	8	
1200-TVH			10	30	9	
1201-TVH			12	32	10	
1202-TVH			15	35	11	
1203-TVH			17	40	12	
1204-TVH			20	47	14	
1204-K-TVH-C3			20	47	14	
1205-TVH			25	52	15	
1205-K-TVH-C3			25	52	15	
1206-TVH			30	62	16	
1206-K-TVH-C3			30	62	16	
1207-TVH			35	72	17	
1207-K-TVH-C3			35	72	17	
1208-TVH			40	80	18	
1208-K-TVH-C3			40	80	18	
1209-TVH			45	85	19	
1209-K-TVH-C3			45	85	19	
1210-TVH			50	90	20	
1210-K-TVH-C3			50	90	20	
1211-TVH			55	100	21	
1211-K-TVH-C3			55	100	21	
1212-TVH			60	110	22	

F Roulements à rotule sur billes

			d mm	D mm	B mm	
1212-K-TVH-C3			60	110	22	
1213-TVH			65	120	23	
1213-K-TVH-C3			65	120	23	
1214-TV			70	125	24	
1215-TVH			75	130	25	
1215-K-TVH-C3			75	130	25	
1216-TVH			80	140	26	
1216-K-TVH-C3			80	140	26	
1217-TVH			85	150	28	
1217-K-TVH-C3			85	150	28	
1218-TVH			90	160	30	
1218-K-TVH-C3			90	160	30	
1219-M			95	170	32	
1219-K-M-C3			95	170	32	
1220-M			100	180	34	
1220-K-M-C3			100	180	34	
1222-K-M-C3			110	200	38	
1304-TVH			20	52	15	
1305-TVH			25	62	17	
1306-TVH			30	72	19	
1306-K-TVH-C3			30	72	19	
1307-TVH			35	80	21	
1307-K-TVH-C3			35	80	21	
1308-TVH			40	90	23	
1308-K-TVH-C3			40	90	23	
1309-TVH			45	100	25	
1309-K-TVH-C3			45	100	25	
1310-TVH			50	110	27	
1310-K-TVH-C3			50	110	27	
1311-TVH			55	120	29	
1311-K-TVH-C3			55	120	29	
1312-TVH			60	130	31	
1312-K-TVH-C3			60	130	31	
1313-TVH			65	140	33	
1313-K-TVH-C3			65	140	33	
2200-TVH			10	30	14	
2200-2RS-TVH			10	30	14	
2201-TVH			12	32	14	
2201-2RS-TVH			12	32	14	
2202-TVH			15	35	14	
2202-2RS-TVH			15	35	14	
2203-TVH			17	40	16	
2203-2RS-TVH			17	40	16	
2204-TVH			20	47	18	
2204-2RS-TVH			20	47	18	
2205-TVH			25	52	18	
2205-2RS-TVH			25	52	18	
2205-K-2RS-TVH-C3			25	52	18	
2206-TVH			30	62	20	
2206-2RS-TVH			30	62	20	

Ⓕ Roulements à rotule sur billes

			d mm	D mm	B mm	
2206-K-2RS-TVH-C3			30	62	20	
2207-TVH			35	72	23	
2207-2RS-TVH			35	72	23	
2207-K-TVH-C3			35	72	23	
2207-K-2RS-TVH-C3			35	72	23	
2208-TVH			40	80	23	
2208-2RS-TVH			40	80	23	
2208-K-TVH-C3			40	80	23	
2208-K-2RS-TVH-C3			40	80	23	
2209-TVH			45	85	23	
2209-2RS-TVH			45	85	23	
2209-K-TVH-C3			45	85	23	
2209-K-2RS-TVH-C3			45	85	23	
2210-TVH			50	90	23	
2210-2RS-TVH			50	90	23	
2210-K-TVH-C3			50	90	23	
2210-K-2RS-TVH-C3			50	90	23	
2211-TVH			55	100	25	
2211-2RS-TVH			55	100	25	
2211-K-TVH-C3			55	100	25	
2211-K-2RS-TVH-C3			55	100	25	
2212-TVH			60	110	28	
2212-2RS-TVH			60	110	28	
2212-K-TVH-C3			60	110	28	
2213-TVH			65	120	31	
2213-2RS-TVH			65	120	31	
2213-K-TVH-C3			65	120	31	
2214-2RS-TVH			70	125	31	
2214-M			70	125	31	
2215-TVH			75	130	31	
2215-K-TVH-C3			75	130	31	
2216-TVH			80	140	33	
2216-K-TVH-C3			80	140	33	
2217-M			85	150	36	
2217-K-M-C3			85	150	36	
2218-TVH			90	160	40	
2218-K-TVH-C3			90	160	40	
2303-2RS-TVH			17	47	19	
2304-2RS-TVH			20	52	21	
2305-TVH			25	62	24	
2305-2RS-TVH			25	62	24	
2306-TVH			30	72	27	
2306-2RS-TVH			30	72	27	
2306-K-TVH-C3			30	72	27	
2307-TVH			35	80	31	
2307-2RS-TVH			35	80	31	
2307-K-TVH-C3			35	80	31	
2308-TVH			40	90	33	
2308-2RS-TVH			40	90	33	
2308-K-TVH-C3			40	90	33	
2309-TVH			45	100	36	